	Application No. Applicant(s)		
Notice of Allowability	09/972,161 KUTH, RAINER		
	Examiner	Art Unit	1
	Brij B Shrivastav	2859	K
Th MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31:	(OR REMAINS) CLOSED in a commette commet com	n this application. If not include unication will be mailed in due o	d course. THIS
1. This communication is responsive to <u>March 1, 2004</u> .			
2. X The allowed claim(s) is/are <u>1-12</u> .			
3. \boxtimes The drawings filed on <u>05 October 2001</u> are accepted by the	ne Examiner.		
 4. Acknowledgment is made of a claim for foreign priority u a) All b) □ Some* c) □ None of the: 1. Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. □ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Applicatio	on No	ion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the req	uirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv 			OTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mu	st be submitted.		•
(a) ☐ including changes required by the Notice of Draftsper	son's Patent Drawing Review	w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date	<u>-</u> ·		
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment o	r in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the stat			back) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MAT	ERIAL must be submitted. N	ote the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date	6. ☐ Interview S Paper No. 08), 7. ☑ Examiner's	nformal Patent Application (PTO cummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allow	·

Application/Control Number: 09/972,161 Page 2

Art Unit: 2859

1. Applicant's request for continued examination (RCE) dated March 1, 2004 has been received and entered. Claims 1, 5, 11 and 12 are currently amended. Pending claims 1-12 in the application are in allowable condition.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Steve Noll on May 17, 2004. Accordingly, the amendment is as follows:

In claims 1-11, the phrase – "A magnetic resonance installation" – is deleted, and is replaced with the phrase – "An installation for a magnetic resonance apparatus" --.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance:

Claims 1-11 are allowed, as the prior art of record does not teach or suggests an installation for a magnetic resonance apparatus, comprising sound insulation disposed between the first component group and the second component group to divide the installation space into two portions of the space which are acoustically insulated from each other, in combination with the remaining limitations of the claims.

Claim 12 is allowed, as the prior art of record does not teach or suggest a method for installing a magnetic resonance apparatus comprising the steps of employing a sound insulation to divide an installation space into two portions of the

Application/Control Number: 09/972,161

Art Unit: 2859

2050

installation space, which are acoustically insulated from each other, in combination with the remaining limitations of the claim.

Page 3

- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brij B Shrivastav whose telephone number is 571-272-2250. The examiner can normally be reached on 7 AM to 4 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. F. Gutierrez can be reached on 571-272-2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

fing Shull rij B. Khrivastav

Bbs

Art Unit: 2859

MaxC17, 2004

Patent Examiner